

FACULTY OF AGRICULTURE AND ANIMAL SCIENCES (FAAS)

DEPARTMENT OF CROP PRODUCTION AND MANAGEMENT

FARMER KNOWLEDGE OF PESTICIDE USE, HEALTH SAFETY PRACTICES, AND ITS ENVIRONMENTAL EFFECTS IN SOROTI DISTRICT, EASTERN UGANDA

BY: KATO HUSSEIN IBRAHIM

REG NO. BU/UG/2017/108

Email address: husseinkato68@gmail.com

CONTACTS: 0779358369/0701959971

SUPERVISOR: MR TURYASINGURA GEOFFREY

A RESEARCH REPORT SUBMITTED TO DEPARTMENT OF CROP
PRODUCTION AND MANAGEMENT IN PARTIAL FULFILLMENT OF THE
REQUIREMENT FOR THE AWARD OF A BACHELORS OF SCIENCE IN
AGRICULURE AT BUSITEMA UNIVERSITY

FEBRUARY 2024

DECLARATION

DECLARATION
IKATO HUSSEIN IBRAHIM hereby declare that this is my original piece of work that has never been presented by anyone to any university, institute or college for an academic credit.
Sign Date 10TH MARCH 2024

APPROVAL

A	PI	P	R	0	V	A	I.
					v	1.0	

This research report has been submitted with my approval by the appointed university supervisor.

Sign:

Date: 10TH MARCH 2024

Mr. Turyasingura Geoffrey

Department of Crop Production and Management

DEDICATION

I dedicate this research report to my dear parents, all brothers and sisters and the entire community of Busitema University, Arapai campus.

ACKNOWLEDGMENT

I extend my sincere gratitude to Allah for His bounties bestowed upon me and every individual who had a hand in the accomplishment of this research report. Special thanks go to my supervisor Mr. Turyasingura Geoffrey for his assistance and continued guidance that has enabled me accomplish a valuable write-up of this research report.

Table of Contents

DECLARATION	i
APPROVAL	ii
DEDICATION	iii
ACKNOWLEDGMENT	iv
ABSTRACT	x
LIST OF FIGURES	viii
Figure 1: Summary of pesticide classification	viii
LIST OF TABLES	viii
LIST OF ABBREVIATIONS AND ACRONYMS	ix
CHAPTER ONE	1
INTRODUCTION	1
1.1 Background information	1
1.2 Problem Statement	2
1.3 General objective	3
1.4 Specific objectives	3
1.5 Research questions	3
1.6 Significance of this research.	3
1.7 Justification/rationale	3
1.8 Scope	4
1.9 Limitations of the study	4
CHAPTER TWO	5
LITERATURE REVIEW	5
2.1 Importance and Benefits of pesticides	5
2.2 Pesticide classification	5
2.3 Pesticide use	6
2.4 Health risks of pesticide use.	6
2.5 Environmental risks of pesticide use	
2.6 Banned and highly hazardous pesticides	7
2.7 Safety practices for pesticide use	
CHAPTER THREE	8

MATERIALS AND METHODS	8
3.1 Study area	8
3.2 Research design	8
3.3 Sample size determination and sampling procedure.	8
Sampling procedure	9
3.4 Data collection tools and procedure	9
3.5 Data management, analysis and interpretation	10
3.6 Ethical considerations	10
CHAPTER FOUR	11
RESULTS	11
4.1 Descriptive statistics of social characteristics of the farmers who use pesticides	11
1	11
GENDER	11
4.1.1 Gender and age of respondents	12
4.1.2 Marital status and Education level of respondents	12
4.2 Pesticides safety practices used by the farmers	12
4.2.1 The personal protective equipment (PPE) used by the farmers.	13
4.2.2 Safety practices and violations carried out by the farmers in pesticide handling	17
4.3 Farmer knowledge of the potential risks of irresponsible pesticide use to human health and	20
4.4 Farmer perception on the pesticide effects on human health and the environment	22
CHAPTER FIVE	24
DISCUSSION OF RESULTS	24
5.1 Descriptive statistics of social characteristics of farmers who use pesticides	24
5.1.1 Gender and age of respondents	24
5.1.2 Marital status and Education level of respondents	24
5.2 Pesticide safety practices used by the farmers	24
5.2.1 The personal protective equipment used by the farmers	24
5.2.2 Safety practices and violations carried out by the farmers in pesticide handling	25
5.3 Farmer knowledge of the potential risks of irresponsible pesticide use to human health and	25
5.4 Farmer perception on the pesticide effects on human health and the environment	26
CHAPTER SIX	27
CONCLUSIONS AND RECOMMENDATIONS	27
6.1 Conclusions	27

	6.1.1 Safety practices carried out by the farmers in pesticide handling.	27
	6.1.2 Farmer knowledge of the potential risks of irresponsible pesticide use to human health	27
	6.1.3 Farmer perception, attitudes and beliefs on the pesticide effects on human health and the	27
	6.2 Recommendations	27
RE	FERENCES	29
A	APPENDICE 1:	31
A	Appendices 2: Questionnaires	33

LIST OF FIGURES

Figure 1: Summary of pesticide classification
Figure 2: Sampling procedure used in Data collection
LIST OF TABLES
Table 1: Descriptive of social characteristics of the sample population11
Table 2: Descriptive Statistics of age of the respondents
Table 3: The personal protective equipment (PPE) used by the farmers
Table 4: Cross tabulation analysis between male and female on the Personal Protective equipment
used
Table 5: Cross tabulation analysis between the Education levels on the Personal Protective equipment
used by each category
Table 6: Cross tabulation analysis between Arapai and Gweri Subcounties on the Personal
Protective equipment used
Table 7: Safety practices carried out by the farmers in pesticide handling
Table 8: Pesticide Safety violations practiced by the farmers
Table 9: Results of Cross Tabulation to Compare Male and female farmers on their Compliance to
Pesticide-use Safety practices
Table 10: Farmers' performance in the test to assess their knowledge of the potential risks of
irresponsible pesticide use to human health and the environment
Table 11: Farmer perception on the pesticide effects on human health and the environment22

LIST OF ABBREVIATIONS AND ACRONYMS

PPE- Personal protective equipment

E.G- For example

i.e.- that is to say

PAN Europe- Pesticide Action Network

DALYs- Disability-adjusted life years

FAO- Food and Agriculture Organization

O' level- Ordinary level

A' level- Advanced level

ABSTRACT

Irresponsible pesticide handling and application have adverse effects to human health and the environment that include killing of non-target organisms, water contamination, soil contamination and air pollution. This research study focused on assessing the safety practices used by farmers during pesticide handling and application, the farmer knowledge of the potential risks of irresponsible pesticide use to human health and the environment and the farmers' perception on the risks associated with irrational use and mishandling of the pesticides. The study was carried out in Soroti district, eastern Uganda where a survey was conducted in two Subcounties (Gweri and Arapai) using survey questionnaires that had structured, multiple choice and Likert-scale questions. The results of the study showed that only 12.8% of the farmers had full protective gears for pesticide application and the rest had either a combination of some protective equipment or nothing at all. Thus, the government should improve access to Personal protective Equipment through subsidizing or distribution to the farmers. Only 55.7% of the farmers were confirmed to adhere to the recommended pesticide-use safety practices and this calls for extension services to increase awareness of the pesticide-use safety practices. The average score in a test that assessed the farmer knowledge of the potential risks of irresponsible pesticide use on human health and the environment was 57.8% out of 100% which indicates that the farmers were not fully aware of the potential risks of pesticide effects. Thus, this also demands the enhancement of the extension services to raise awareness on this matter. The assessment of the farmers' perception on the risks associated with irrational use of the pesticides revealed that 37% agreed and 28.3% strongly agreed that pesticides can cause cancer and other health problems and only 25% agreed and 12.8% strongly agreed that pesticides can harm beneficial insects and wildlife. None of the farmers strongly disagreed, 40% agreed and 22.2% strongly agreed that pesticides pollute air, water and soil. These results of the study also call for the need for the increase in the awareness of the pesticide effects among the farmers.

CHAPTER ONE

INTRODUCTION

1.1 Background information

Pesticides are substance or mixtures of substance used for preventing and controlling pests, weeds, vectors, rodents, and insects in agriculture to increase productivity. Pesticides are also used in the household to control and kill mosquitoes, ticks, rats, lice, cockroaches among others (Mahmood et al., 2016). Pesticide use safety practices include all procedures, actions, and policies undertaken to minimize the risk of exposure to potentially hazardous pesticides (Alebachew et al., 2023). Pesticide use safety practices can also be demonstrated by the use of appropriate personal hygiene, effective laundry, separate pesticide storage at home, using the recommended concentration and quantity based on labeling, avoiding eating and drinking during spraying, proper use of personal protective equipment, and proper disposal of empty containers (Khan et al., 2013). In Uganda, the Use of personal protective equipment while applying pesticides is very low despite the high risk and frequency of exposure (Okonya & Kroschel, 2015). Uganda uses 18,928.16 tonnes of pesticide every year (Ssemugabo et al., 2022). East Africa uses 153,901.4 tonnes of pesticides per year(Ssemugabo et al., 2022). Pesticide use in Africa makes up 4% of the global pesticide market only, with a rough estimate of 75 000 to 100 000 tonnes of pesticide active ingredient used in the continent (Ssemugabo et al., 2017). Worldwide, it is estimated that approximately 1.8 billion people engage in agriculture, and most of them use pesticides to increase productivity (Alebachew et al., 2023). An estimated average of 5.6 billion pounds of pesticides is utilized globally per year as herbicides, insecticides, fungicides, and microbicides (Alebachew et al., 2023).

Pesticides are toxic and thus pose great risks to human health and the environment. Despite the potential dangers these chemicals pose to man and the environment, the global pesticide use has continued to grow recurrently, reaching 4.1 million tonnes per year in 2017, an increase of nearly 81% from 1990. Following this, the global impact of inappropriate handling of pesticides led to an estimated 155,488 deaths and 7,362,493 disability-adjusted life years (DALYs) in 2016 (Alebachew *et al.*, 2023). It is estimated by the World Health Organization (WHO) that about 18.2 per 100 000 agricultural workers have occupational-related pesticide poisonings worldwide (Ssemugabo *et al.*,

REFERENCES

- Alebachew, F., Id, M. A., Gedamu, G., Id, K., & Chanie, M. (2023). Pesticide use safety practices and associated factors among farmers in Fogera district wetland areas, south Gondar zone, Northwest. 1–15. https://doi.org/10.1371/journal.pone.0280185
 - Boedeker, W., Watts, M., Clausing, P., & Marquez, E. (2020). The global distribution of acute unintentional pesticide poisoning: estimations based on a systematic review. 1–19.
- Briefing, P. A. N. E., Isenring, R., Clarke, P., & Europe, P. A. N. (2010). *Pesticides and the loss of biodiversity How intensive pesticide use affects wildlife populations and species. January.*
 - Damalas, C. A., & Eleftherohorinos, I. G. (2011). *Pesticide Exposure*, *Safety Issues*, and *Risk Assessment Indicators*. 1402–1419. https://doi.org/10.3390/ijerph8051402
 - Florio, S., & Alami, A. (2018). Hed Conference Call. September, 46–48.
- Jacquet, F., Hélène, M., Julia, J., Edith, J., Cadre, L., Litrico, I., Malausa, T., Reboud, X., & Huyghe,
 C. (2022). Pesticide free agriculture as a new paradigm for research. *Agronomy for Sustainable Development*, 1–24. https://doi.org/10.1007/s13593-021-00742-8
 - Kagezi, G. H. (2019). *DOI: 10.18697/ajfand.87.17725. 19*(4), 14863–14872. https://doi.org/10.18697/ajfand.87.17725
 - Khan, M., Iftikhar, M., & Husnain, U. (2013). *Understanding Pesticide Use Safety Decisions :*Application of Health Behavior Theory. 13(4), 440–448.

 https://doi.org/10.5829/idosi.aejaes.2013.13.04.1945
 - Mahmood, I., Imadi, S. R., Shazadi, K., Gul, A., & Hakeem, K. R. (2016). *Effects of Pesticides on Environment*. 253–269. https://doi.org/10.1007/978-3-319-27455-3
 - Maksymiv, I. (2015). 70 PESTICIDES: BENEFITS AND HAZARDS. 70–76. https://doi.org/10.15330/jpnu.2.1.70-76
 - Okonya, J. S., & Kroschel, J. (2015). A Cross-Sectional Study of Pesticide Use and Knowledge of Smallholder Potato Farmers in Uganda. 2015.
- Pathak, V. M., Verma, V. K., Rawat, B. S., Kaur, B., & Babu, N. (2022). Current status of pesticide effects on environment, human health and it 's eco-friendly management as bioremediation: A comprehensive review. August, 1–29. https://doi.org/10.3389/fmicb.2022.962619

- Relations, E. (2021). Requested by the DEVE committee The use of pesticides in developing countries and their impact on health and the right to food (Issue January).
 - Sharma, A., Kumar, V., Shahzad, B., Tanveer, M., Preet, G., Sidhu, S., & Handa, N. (2019).

 Worldwide pesticide usage and its impacts on ecosystem. *SN Applied Sciences*, *1*(11), 1–16.

 https://doi.org/10.1007/s42452-019-1485-1
 - Ssemugabo, C., Bradman, A., Ssempebwa, J. C., Sillé, F., & Guwatudde, D. (2022). *Pesticide Residues in Fresh Fruit and Vegetables from Farm to Fork in the Kampala Metropolitan Area*, *Uganda*. https://doi.org/10.1177/11786302221111866
- Ssemugabo, C., Halage, A. A., Neebye, R. M., Nabankema, V., Kasule, M. M., Ssekimpi, D., & Jørs, E. (2017). Prevalence, Circumstances, and Management of Acute Pesticide Poisoning in Hospitals in Kampala City, Uganda. https://doi.org/10.1177/1178630217728924
- Stuart, A. (2021). Impacts of pesticides on biodiversity and the environment what do we now know?

 Case Study: Ecuador. October, 11–12.